

FORM PTO 1390
(REV 5-93)

US DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY DOCKET NUMBER
2001-0631ATRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. §371U.S. APPLICATION NO.
(if known, use 37 CFR 1.51)
[NEW] 097856296International Application No.
PCT/JP99/00477International Filing Date
February 4, 1999

Priority Date Claimed

Title of Invention

PROCESS FOR PRODUCING ANATASE TITANIA OR COMPOSITE OXIDE CONTAINING ANATASE TITANIA

Applicant(s) For DO/EO/US

Tsutomu MINAMI; Masahiro TATSUMISAGO; Atsunori MATSUDA

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. §371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. §371.
3. ☒ This express request to begin national examination procedures (35 U.S.C. §371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. §371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☐ A copy of the International Application as filed (35 U.S.C. §371(c)(2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US)
6. ☒ A translation of the International Application into English (35 U.S.C. §371(c)(2)). **ATTACHMENT A**
7. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. §371(c)(3)).
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19.
9. ☒ An unexecuted oath or declaration of the inventor(s) (35 U.S.C. §371(c)(4)). **ATTACHMENT B**
10. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. §371(c)(5)).

Items 11. to 14. below concern other document(s) or information included:

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98. **ATTACHMENT C**
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment. **ATTACHMENT D**
 - ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
14. ☒ Other items or information:
 - a. Cover Page of Published International Application No. WO 00/46154 - **ATTACHMENT E**
 - b. International Search Report - **ATTACHMENT F**

1018 Rec'd PCT/PTO 21 MAY 2001

U.S. APPLICATION NO. (if known, 37 CFR 1.53)
[NEW] 09/856296

INTERNATIONAL APPLICATION NO.
PCT/JP99/00477

ATTORNEY'S DOCKET NO.
2001-0631A

15. [X] The following fees are submitted

BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5)):

Neither international preliminary examination fee nor international search fee paid to USPTO
and International Search Report not prepared by the EPO or JPO \$1000.00
International Search Report has been prepared by the EPO or JPO \$ 860.00
International preliminary examination fee not paid to USPTO but international search
paid to USPTO \$ 710.00
International preliminary examination fee paid to USPTO but claims did not satisfy provisions
of PCT Article 33(1)-(4) \$ 690.00
International preliminary examination fee paid to USPTO and all claims satisfied provisions of
PCT Article 33(1)-(4) \$ 100.00

ENTER APPROPRIATE BASIC FEE AMOUNT =

\$860.00

Surcharge of \$130.00 for furnishing the oath or declaration later than [] 20 [] 30 months from the earliest
claimed priority date (37 CFR 1.492(e)).

Claims	Number Filed	Number Extra	Rate
Total Claims	9 -20 =	0	X \$18.00
Independent Claims	1 - 3 =	0	X \$80.00
Multiple dependent claim(s) (if applicable)			+ \$270.00

TOTAL OF ABOVE CALCULATIONS =

\$860.00

[] Small Entity Status is hereby asserted. Above fees are reduced by 1/2.

SUBTOTAL =

\$860.00

Processing fee of \$130.00 for furnishing the English translation later than [] 20 [] 30 months from the
earliest claimed priority date (37 CFR 1.492(f)). +

TOTAL NATIONAL FEE =

\$860.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an
appropriate cover sheet (37 CFR 3.28, 3.31). \$40 per property +

TOTAL FEES ENCLOSED =

\$860.00

Amount to be refunded \$

Amount to be charged \$

- a. [X] A check in the amount of \$ 860.00 to cover the above fees is enclosed. A duplicate copy of this form is enclosed.
b. [] Please charge my Deposit Account No. 23-0975 in the amount of \$ _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.
c. [X] The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any
overpayment to Deposit Account No. 23-0975.

**NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or
(b)) must be filed and granted to restore the application to pending status.**

19. CORRESPONDENCE ADDRESS



000513

PATENT TRADEMARK OFFICE

By: _____

Matthew Jacob,
Registration No. 25,154

WENDEROTH, LIND & PONACK, L.L.P.
2033 "K" Street, N.W., Suite 800
Washington, D.C. 20006-1021
Phone: (202) 721-8200
Fax: (202) 721-8250

May 21, 2001

[CHECK NO. 44562]

[2001-0631A]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of :
 Tsutomu MINAMI et al. : **Attn: BOX PCT**
 Serial No. [NEW] : **Docket No. 2001-0631A**
 Filed May 21, 2001 :
 PROCESS FOR PRODUCING ANATASE :
 TITANIA OR COMPOSITE OXIDE :
 CONTAINING ANATASE TITANIA :
[Corresponding to PCT/JP99/00477
Filed February 4, 1999]

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents,
 Washington, DC 20231

Sir:

In the interest of compact prosecution and to reduce PTO filing fees, please amend the present application as follows:

IN THE CLAIMS:

Please amend claims 2 through 8 as follows:

2. **(Amended)** The process according to claim 1 wherein the solution containing a hydrolyzable titanium compound contains an organic polymer, and the gel is organic inorganic composite matter containing a metal oxide and the organic polymer.

3. **(Amended)** The process according to claim 2 wherein the organic polymer is a water-soluble organic polymer.

4. **(Amended)** The process according to claim 1 wherein the hydrolyzable titanium compound is an alkoxide of titanium.

5. **(Amended)** The process according to claim 1 wherein reaction of the gel with water is carried out with hot water.

6. **(Amended)** The process according to claim 5 wherein a functional molecule or a metal ion is dissolved in the hot water, thereby to dope the anatase titania or the composite oxide containing the anatase titania with the functional molecule or metallic particles.

7. **(Amended)** The process according to claim 1 wherein a gel film is formed on a substrate and then allowed to react with water to produce a film.

8. **(Amended)** An anatase titania or the composite oxide containing the anatase titania obtained according to the process of claim 1.

REMARKS

The above amendment is presented to eliminate multiple dependent claims, thereby reducing PTO filing fees.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is entitled "**Version with Markings to Show Changes Made**".

Favorable action on the merits is now requested.

Respectfully submitted,

Tsutomu MINAMI et al.

By _____
Matthew Jacob
Registration No. 25,154
Attorney for Applicants

MJ/pjm
Washington, D.C. 20006-1021
Telephone (202) 721-8200
Facsimile (202) 721-8250
May 21, 2001

Version with Markings to Show Changes Made

Claims 2 through 8 have been amended as follows:

2. (Amended) [A] The process according to claim 1 wherein the solution containing a hydrolyzable titanium compound contains an organic polymer, and the gel is organic inorganic composite matter containing a metal oxide and the organic polymer.

3. (Amended) [A] The process according to claim 2 wherein the organic polymer is a water-soluble organic polymer.

4. (Amended) [A] The process according to [any one of claims] claim 1 [to 3] wherein the hydrolyzable titanium compound is an alkoxide of titanium.

5. (Amended) [A] The process according to [any one of claims] claim 1 [to 4] wherein reaction of the gel with water is carried out with hot water.

6. (Amended) [A] The process according to claim 5 wherein a functional molecule or a metal ion is dissolved in the hot water, thereby to dope the anatase titania or the composite oxide containing the anatase titania with the functional molecule or metallic particles.

7. (Amended) [A] The process according to [any one of claims] claim 1 [to 6] wherein a gel film is formed on a substrate and then allowed to react with water to produce a film.

8. (Amended) [The] An anatase titania or the composite oxide containing the anatase titania obtained according to [any process of claims] the process of claim 1 [to 7].

09/856296-034

JC18 Rec'd PCT/PTO 2 1 MAY 2001

3/PRTS

PROCESS FOR PRODUCING ANATASE TITANIA OR
COMPOSITE OXIDE CONTAINING ANATASE TITANIA

TECHNICAL FIELD

The invention of this application relates to a process for producing anatase titania or an composite oxide containing anatase titania. More specifically, the invention of this application relates to a process for producing novel anatase titania or a novel composite oxide containing the anatase titania which are useful as a photocatalyst, a bactericidal material, an anti-fungus material, etc. and furthermore, can be produced in a variety of forms at a low temperature of 100°C or below.

BACKGROUND OF THE INVENTION

Titania as an oxide of titanium (Ti), particularly anatase titania, is known as a catalyst for photolysis, a material for the electrode of a photocell, etc. and in recent years, has attracted attention to be useful also as a bactericidal material and an anti-fungus material depending upon photoreactive action.

The processes for producing titania and the functions thereof reported so far are outlined as follows.

About pure TiO_2 films, it is reported that a titania (TiO_2) film is formed on a glass substrate having a transparent

electrically conductive tin oxide film coated thereon by adding dilute hydrochloric acid to an ethanol solution of titanium isopropoxide and then dip coating, and furthermore a heat treatment is carried out at 500°C so that a film where fine crystals of anatase are deposited can be prepared, and the resulting film acts as a photo-electrochemical film (T. Yoko, K. Kamiya, and S. Sakka, *Yogyo Kyokai-Shi*, 95 (1987), 150). It also is reported that an article where a colloidal solution of TiO_2 is coated at 450°C onto a glass substrate having a transparent electrically conductive tin oxide film formed thereon exhibits high efficiency as the electrode of a photocell (B. O'Regan and M. Gretzel, *Nature*, 353 (1991) 737).

On the other hand, about a TiO_2 - SiO_2 system, it is reported that a composite oxide of the TiO_2 - SiO_2 system can be prepared by use of bisacetylacetonate titanium diisopropoxide or ethyl bisacetoacetate titanium diisopropoxide and silicic acid; and in order to deposit an anatase phase, when 94 mole percent of TiO_2 is contained, a treatment at a high temperature of 500°C or above is needed, when 89 to 67 mole percent of TiO_2 is contained, a heat treatment at a high temperature of 750°C or above, and furthermore, when 50 mole percent of TiO_2 is contained, the composite oxide remains amorphous even by a heat treatment at 1000°C (Y. Abe, N. Sugimoto, Y. Nagano, and T. Misono, *J. Non-Cryst.*, 104 (1988) 164). In addition, it is reported that when film formation is carried out according to an RF-sputtering

process by use of a mixed sputter gas of argon and oxygen at a substrate temperature of 200°C and a power of 200 W, all films are amorphous in the range of 2.3 to 67 mole percent in TiO_2 content.

Furthermore, it is reported that a TiO_2 - SiO_2 film containing 16.5 mole percent of TiO_2 that is formed from a solution prepared by using titanium n-butoxide and silicon tetraethoxide as starting materials and hydrolyzing with dilute hydrochloric acid is amorphous when a heat treatment at 350°C is carried out, but further only when exposed to pressurized steam of about 1 atm, anatase TiO_2 fine crystals are deposited (A. Matsuda, T. Kogure, Y. Matsuno, S. Katayama, T. Tsuno, N. Tohge, and T. Minami, *J. Am. Ceram. Soc.*, 76 (1993) 2699).

However, in order to form anatase TiO_2 , even a single component of TiO_2 requires a heat treatment at high temperature of 450°C or above, and furthermore a composite oxide of TiO_2 - SiO_2 system, etc. require a further high heat treatment and complicated operations. Accordingly, it is fundamentally impossible to form anatase titania or a composite oxide containing anatase titania, for example, on substrates having low resistance to heat such as organic polymer substrates or living tissue having low resistance to high temperature, low pressure, and high pressure.

Therefore, the invention of this application solves the aforesaid problems of the related art, and aims at providing

09856298-071301
a novel process which can produce anatase titania or a composite oxide containing anatase titania at a low temperature that is a milder condition and, in addition at atmospheric pressure, thereby can form these on a variety of substrates including polymer materials or living tissue having low resistance to heat, and moreover can form anatase titania or a composite oxide containing anatase titania in a variety of forms such as bulk, film, fiber, powder, etc.

DISCLOSURE OF THE INVENTION

For solving the aforesaid problems, the invention of this application provides a process for producing anatase titania or a composite oxide containing anatase titania characterized in that a gel containing a metal oxide is formed from a solution containing a hydrolyzable titanium compound, and subsequently the gel is allowed to react with water at a temperature of 100°C or below.

In the aforesaid process, the invention of this application also provides a process where the solution containing a hydrolyzable titanium compound contains an organic polymer, and the gel is an organic inorganic composite matter containing a metal oxide and the organic polymer, a process where the reaction of the gel with water is carried out with hot water, a process where a functional molecule or metal ion is dissolved in hot water, and anatase titania or the composite

[illegible]

In particular, according to the invention of this application, a transparent film of anatase titania or a composite oxide containing anatase titania which has been difficult to form in the related art can be formed on a variety of substrates according to the low temperature process, and therefore the fields of application are extremely wide and promising.

Fig. 1 is a figure showing a high-resolution transmission electron microscope photograph of a partial section of a film in Example 1 of the invention.

Spots: Corresponding to (101) and (103) planes characteristic in anatase TiO_2 .

5

water.

Absorption spectra near 2900 cm^{-1} and 1350^{-1} are assigned to polyethylene glycol. Peaks at 955 cm^{-1} are principally assigned to a Ti-O-Si bond.

BEST MODE FOR CARRYING OUT THE INVENTION

The invention of this application has characteristics as described above, and modes for carrying out the invention are illustrated in detail below.

The bases of this application are illustrated again. The invention enables anatase titania or a composite oxide containing anatase titania to produce at a low temperature that is a very mild condition as compared with that in the related art by forming a gel containing a metal oxide from a solution containing at least a hydrolyzable titanium compound and then, allowing the gel containing a metal oxide to react with water. The invention of this application having these characteristics has been achieved by discovery that a product prepared by hydrolysis and polycondensation of a hydrolyzable titanium compound acquires densification and crystallization by a hot water of 100°C or below, etc. contrary to the conventional common sense and by discovery that the addition of an organic polymer to the gel promotes the deposition of anatase crystals by a treatment with hot water.

A variety of compounds can be used as the hydrolyzable

09856396-071301

titanium compound in the invention. Examples thereof include metal alkoxides, metal salts of organic acids, metal chlorides; and the derivatives thereof such as tetraisopropoxy titanium ($\text{Ti}(\text{OCH}(\text{CH}_3)_2)_4$), tetra-n-butoxy titanium ($\text{Ti}(\text{OCH}_2\text{CH}_2\text{CH}_2\text{CH}_3)_4$), tetrakis(2-ethylhexyloxy) titanium ($\text{Ti}(\text{OCH}_2\text{CH}(\text{C}_2\text{H}_5)\text{C}_4\text{H}_9)_4$), tetrastearyloxy titanium ($\text{Ti}(\text{OC}_{18}\text{H}_{37})_4$), diisopropoxy bisacetylacetonate titanium ($\text{Ti}(\text{OCH}(\text{CH}_3)_2)_2(\text{OC}(\text{CH}_3)\text{CHCOCH}_3)_2$), diisopropoxy bisethyl acetoacetate titanium ($\text{Ti}(\text{OCH}(\text{CH}_3)_2)_2(\text{OC}(\text{OC}_2\text{H}_5)\text{CHCOCH}_3)_2$), titanium tetrachloride (TiCl_4), etc. One kind of these or a combination of two or more kinds thereof can be used as starting materials. Of these, tetraisopropoxy titanium, tetra-n-butoxy titanium, titanium tetrachloride, etc. which have comparatively high reactivity to water are preferred.

Furthermore, when a composite oxide containing anatase titania is synthesized, the composite oxide can be composed by combination of various metal alkoxides, metal salts of organic acids, metal chlorides, or the derivatives thereof including Si, Al, B, P, Ta, Zr, Sn, V, W, etc. according to the purpose, use, etc. These starting materials also can be used singly or in a combination of two or more kinds thereof.

The starting materials are dissolved in a solvent, and hydrolysis is carried out by use of a catalyst such as acids or bases as needed. The solvent used herein includes hydrocarbons such as benzene, toluene, hexane, etc. and various

organic solvents such as halogenated hydrocarbons, tetrahydrofuran (THF), acetonitrile, DMF, DMSO, etc. in addition to alcohols such as methanol, ethanol, 2-propanol, 1-butanol, etc. The catalyst for hydrolysis can be exemplified by mineral acids and organic acids such as hydrochloric acid, nitric acid, acetic acid, sulfuric acid, phosphoric acid, etc.; and bases such as ammonia, amines, etc.

Furthermore, in the process of the invention, an organic polymer can be added to the solution containing at least a hydrolyzable titanium compound for the purpose of controlling the specific surface area or porosity of anatase titania or a composite oxide containing anatase titania obtained finally. The resulting gel forms an organic inorganic composite matter containing a metal oxide and an organic polymer and furthermore, anatase titania or a composite oxide containing anatase titania controlled in specific surface area and porosity can be synthesized by eluting the organic polymer. The organic polymer added to the gel beforehand is eluted by a treatment with hot water, and void is formed from volume occupied by the organic polymer in the gel to facilitate permeation of hot water and acts to promote the deposition of anatase crystals within the gel.

These organic polymers include polyalkyl ethers such as polyethylene glycol, polypropylene glycol, and polytetramethylene glycol; polyether glycols such as cellulose

acetate, cellulose nitrate, and hydroxypropylcellulose; and organic polymers having solubility to water such as polyvinyl alcohol, polyvinyl acetate, polyvinyl chloride, etc. Of these, the polyalkyl ethers that can be easily eluted with hot water are preferred. The amount of the organic polymer added can be changed depending upon the specific surface area or porosity of anatase titania or a composite oxide containing anatase titania obtained finally, or depending upon the dispersibility of anatase crystals. As the amount of the organic polymer added increases, the specific surface area and the pore volume increase. In addition, as the specific surface area and the pore volume of void increase, the deposition of anatase crystals is promoted and the dispersibility also is improved. The ratio of the organic polymer to the composite oxide is arbitrary and, for example, from about 0.01 to about 100 in weight ratio, but the range of 0.1 to 10 is preferred in view of synthesis, function for uses, etc.

The reaction of the gel containing a metal oxide derived from the hydrolyzable titanium compound with water at a temperature of 100°C or below can be easily achieved by a treatment with hot water. The temperature of the hot water can be set to an arbitrary temperature of 100°C or below, but 50°C or higher is preferred for increasing the treating rate. The reaction with water at a temperature of 100°C or below can be carried out at a condition of atmospheric pressure. As a

matter of course, reduced pressure or application of pressure also is possible, if desired.

In the invention, anatase titania or a metal oxide in a composite oxide containing anatase titania can be doped with the functional molecule by dissolving the functional molecule in the aforesaid hot water. The functional molecule includes ruthenium complexes for photocells such as trisbipyridine ruthenium (II) complex, (2,2'-bipyridine) [2-(2-pyridyl)-benzimidazole] ruthenium [II] complex, etc.; dyes for laser such as rhodamine B, rhodamine 6G, coumarin, etc.; photochromic dyes such as spiropyran, methylviologen, etc.; and the like. Similarly, a metal ion is dissolved in hot water, and a reduction treatment is then carried out so that the metallic fine particles can be supported on anatase titania or a metal oxide in a composite oxide of anatase titania. The metal ion can be exemplified by ions of novel metals such as platinum, gold, silver, copper, etc., but as a matter of course, is not limited to these.

Furthermore, in the invention of this application, it is possible to form anatase titania or the composite oxide containing anatase titania in a variety of forms such as film, powder, bulk, etc.

When a film is formed as a substrate, a gel film containing the metal oxide is formed on the substrate from a solution containing at least a hydrolyzable titanium compound through

dipping or spin coating, and then the gel film containing the metal oxide is allowed to react with water to form a film of anatase oxide or a composite oxide containing anatase titania. Arbitrary substrates such as glass, ceramics, metals, polymers, living tissue, etc. can be used as the substrate. In particular, the effect of low temperature synthesis of the invention can preferably be exerted efficiently for materials low in thermal resistance such as polymers and living tissue or materials poor in resistance in an atmosphere of reduced pressure or applied pressure. An article where a transparent electrically conductive film, etc. is formed on a glass substrate such as quartz glass, soda-lime glass, alkali aminosilicate glass, alkali borosilicate glass, multi-component non-alkali glass, lowly expanded crystallized glass, etc. can be used as the electrode of a photocell.

For the formation of powdery particles, the powdery particles are prepared by hydrolyzing a solution containing at least a hydrolyzable titanium compound at an acidic condition and then adding dropwise the resulting solution to a basic solution. The particles are once recovered by use of the method of centrifuging, etc., undergo drying or a heat treatment as needed, and then re-dispersed in an appropriate dispersing medium to allow reaction with water.

For example, according to the processes of the invention as described above, a gel containing a metal oxide is formed

from a solution containing at least a hydrolyzable titanium compound, and then allowed to react with water at a temperature of 100°C or below, thereby to synthesize anatase titania or a composite oxide containing anatase titania at a low temperature. In particular, in the invention, molecules of water such as hot water, etc. have an action to attack the hydrolysis-polycondensation product from the hydrolyzable titanium compound to promote the dissociation of a bond with another oxide, the condensation of a TiO_2 component, nucleation, and the growth of nuclei, and thereby the formation of anatase titania is realized at a very mild condition of 100°C or below.

The organic polymer added to the solution containing at least a hydrolyzable titanium compound has an action to control the specific surface area and pore of the resulting metal oxide and to promote the deposition of an anatase crystalline phase.

The anatase titania or the composite oxide containing anatase titania according to the invention can be prepared in a variety of forms such as film, fiber, powder, bulk, etc. In particular, in the invention, a transparent film of anatase titania or film of a composite oxide containing anatase titania where the formation of these films has been different in the related art can be formed on a variety of substrates according to the low temperature process and therefore, the fields of the application thereof are extremely wide and promising. And anatase titania or the composite oxide containing anatase

titania according to the invention enables application to a photocatalyst. Concretely, they are used as an electrode material for a photocell, a catalyst for photolysis of water or organic substances, a catalyst for photoreduction of aerial pollution substances such as nitrogen oxides and carbon dioxide, or a bactericide or anti-fungus agent against harmful microorganisms. Particularly, in the anatase titania or the composite oxide containing anatase titania according to the invention, anatase titania can be deposited at a low temperature of 100°C or below and therefore, the formation thereof on an organic polymer, living tissue, etc., which has been difficult so far, also is possible.

EXAMPLES

Examples are shown below, and the invention is illustrated in further detail. Fig. 1 of the accompanying drawing is a figure based on a high-resolution transmission electron microscope photograph of a partial section of a film in Example 1 of the invention and shows trisbipyridine ruthenium (II) complex 3 highly dispersed in the composite oxide of TiO_2 - SiO_2 system 2 containing anatase titania 1. Fig. 2 shows results of the Fourier transform and lattice fringe analysis of Fig. 1 having undergone image processing, and spots are observed in positions corresponding to (101) and (103) planes characteristic in anatase TiO_2 .

(Example 1)

0956296-074304

A solution containing 5 moles of ethyl alcohol to 1 mole of silicon tetraethoxide was prepared. Dilute hydrochloric acid (3 weight percent) was added to this solution and stirred at room temperature for 30 min to carry out hydrolysis. Herein, the mole ratio of water to the silicon alkoxide was adjusted to 4. Furthermore, titanium tetra-n-butoxide was dissolved in this solution so that the mole ratio of titanium dioxide and silicon dioxide became 16.5:83.5 finally, and stirred for 30 min to carry out hydrolysis. The resulting solution, which was colorless and transparent, was further diluted with ethyl alcohol in order to adjust the thickness of a film formed on a substrate by coating. Polyethylene glycol (PEG) having an average molecular weight of 600 was added to this solution so that the weight ratio of PEG to titanium dioxide and silicon dioxide, the oxides formed finally, became $(\text{PEG})/(\text{TiO}_2 + \text{SiO}_2) = 1.0$, and dissolved uniformly to prepare a coating solution.

A silicon wafer substrate and a non-alkali glass substrate were dipped in the aforesaid solution, and the respective substrates were covered with gel films comprising polyethylene glycol and a hydrolysis-polycondensation product formed from a titanium organic compound and silicon organic compound. These were heated and dried at 90°C for 30 min. The gel films of 16.5 TiO_2 -83.5 SiO_2 containing polyethylene glycol was obtained according to the aforesaid operations. This was

09656296-071301

dipped in hot water (100°C) of 10^{-3} M trisbipyridine ruthenium (II) dichloride for 1 hr. In the treatment with hot water, the porosity of the films was found to be about 35 percent just after eluting polyethylene glycol by the treatment with hot water. Observations by infrared absorption spectra and a transmission electron microscope were made about the films before and after the treatment with hot water. It was found from the infrared absorption spectra shown in Fig. 3 that absorption spectra in about 2900 cm^{-1} and about 1350 cm^{-1} assigned to polyethylene glycol completely disappeared, and polyethylene glycol was eluted from the gel films by the treatment with hot water. Furthermore, it was found that the intensity of a peak at 955 cm^{-1} assigned principally to a Ti-O-Si bond significantly decreased, and the Ti-O-Si bond was dissociated. Although the film before carrying out the treatment with hot water was a film of a homogeneous 16.5 TiO_2 -83.5 SiO_2 amorphous gel containing polyethylene glycol, it was found from the high-resolution transmission electron microscope photograph as described above in Fig. 1 that in the film dipped in hot water (100°C) of 10^{-3} M trisbipyridine ruthenium (II) dichloride for 1 hr, trisbipyridine ruthenium (II) complex 3 was dispersed in composite oxide of TiO_2 - SiO_2 system 2 containing anatase titania 1 of 10 to 30 nm. Anatase titania also is ascertained by results of the Fourier transform and lattice fringe analysis of Fig. 2.

09856296-071301

The film was yellow and transparent because of absorption by the ruthenium complex. It was found from the result of analysis of the film composition that the SiO_2 component was eluted by the treatment with hot water, and this promoted the deposition of anatase crystals.

The aforesaid results made it clear that the composite oxide containing anatase titania and the composite oxide containing the anatase titania that contained a functional molecule can be synthesized according to the low temperature process of 100°C at highest.

(Example 2)

A solution containing 5 moles of ethyl alcohol to 1 mole of titanium tetra-n-butoxide was prepared. Dilute hydrochloric acid (3 weight percent) was added to this solution and stirred at room temperature for 30 min to carry out hydrolysis. The resulting solution, which was colorless and transparent, was further diluted with ethyl alcohol in order to adjust the thickness of a film formed on a substrate by coating. Polyethylene glycol (PEG) having an average molecular weight of 600 was added to and uniformly dissolved in this solution so as to be $(\text{PEG})/(\text{TiO}_2) = 1.0$ in weight ratio to titanium oxide that was an oxide formed finally to prepare a coating solution.

A silicon wafer substrate and non-alkali glass substrate were dipped in the aforesaid solution to coat the respective substrates with gel films consisting of polyethylene glycol

09856296 "07.1304

and a hydrolysis-polycondensation product from the titanium organic compound. These were heated and dried at 90°C for 30 min. TiO₂ gel films containing polyethylene glycol were obtained by the aforesaid operations. This was dipped in hot water (100°C) for 5 hr. Observations by infrared absorption spectra and a transmission electron microscope were made about the films before and after the treatment with hot water. It was found from the infrared absorption spectra that absorption spectra of about 2900 cm⁻¹ and about 1350 cm⁻¹ assigned to polyethylene glycol completely disappeared by the treatment with hot water, and polyethylene glycol was eluted from the gel films. It also was found that the intensity of a peak at 1000 cm⁻¹ assigned principally to a Ti-OH bond decreased, and the polymerization of TiO₂ was promoted. It was found from the observation by a transmission electron microscope that the films before undergoing the treatment with hot water were uniform TiO₂ amorphous gel films containing polyethylene glycol. On the other hand, the films dipped in hot water (100°C) for 5 hr were found to form light-transmitting titania consisting of anatase fine crystals of 10 to 30 nm. The results as described above show clearly that anatase titania can be synthesized according to the low temperature process at 100°C at highest.

(Example 3)

The same operations as in Example 2 were carried out by use of a polyethylene terephthalate (PET) substrate. It was

found from observation by a transmission electron microscope that the film dipped in hot water (100°C) for 5 hr formed light-transmitting titania consisting of anatase fine crystals of 10 to 30 nm. The results as described above show clearly that anatase titania can be synthesized also on a polymer substrate according to the low temperature process of 100°C at highest.

(Example 4)

The same operations as in Example 2 were carried out about an $x\text{TiO}_2-(100-x)\text{SiO}_2$ system selected ($x = 20, 40, 60$, and 80 mole percent). It was found from observation by a transmission electron microscope that the films dipped in hot water (100°C) for 5 hr turned into transparent films of the composite oxides of the $\text{TiO}_2\text{-SiO}_2$ system containing anatase titania of 10 to 30 nm. The results as described above show clearly that the composite oxides containing anatase titania can be synthesized according to the low temperature process of 100°C at highest.

(Example 5)

The same operations as those in Example 4 were carried out about an $x\text{TiO}_2-(100-x)\text{Al}_2\text{O}_3$ system and an $x\text{TiO}_2-(100-x)\text{ZrO}_2$ system ($x = 20, 40, 60$, and 80 mole percent) selected. Aluminum tetra-sec-butoxide and zirconium tetra-n-butoxide that were stabilized with acetylacetone were used as starting materials for Al_2O_3 and ZrO_2 , respectively. It was found from observation by a transmission electron microscope that the films dipped

in hot water (100°C) for 5 hr turned into transparent films of the composite oxides of the TiO_2 - Al_2O_3 system and the TiO_2 - ZrO_2 system containing anatase titania of 10 to 30 nm. The results as described above show clearly that a variety of composite oxides containing anatase titania can be synthesized according to the low temperature process of 100°C at highest.

(Example 6)

Although the results of the formation of the films were described in Examples of 1 to 5, similar results were obtained also in experiments on the preparation of fine particles.

(Comparative Example 1)

Similarly to Example 2, the coating solutions was prepared, a silicon wafer substrate and non-alkali glass substrate were dipped therein, and the respective substrates were covered with gel films consisting of polyethylene glycol and a hydrolysis-polycondensation product from the titanium organic compound. These were heated and dried at 90°C for 30 min. TiO_2 gel films containing polyethylene glycol were obtained by the aforesaid operations. These underwent a heat treatment in the air at 350°C for 1 hr. It was found from infrared absorption spectra that polyethylene glycol was thoroughly pyrolyzed and disappeared owing to the heat treatment. It was found from observation by a transmission electron microscope that no anatase crystals were observed in the resulting TiO_2 films, and porous amorphous films were formed.

(Comparative Example 2)

A coating solution consisting of silicon tetraethoxide, titanium tetra-n-butoxide, ethyl alcohol, and dilute hydrochloric acid was prepared at a condition where no polyethylene glycol is added.

A silicon wafer substrate and a non-alkali glass substrate were dipped in the aforesaid solution, and the respective substrates were coated with TiO_2 - SiO_2 gel films consisting of a hydrolysis-polycondensation product from the titanium organic compound. These were heated and dried at 90°C for 30 min. The TiO_2 - SiO_2 gel films were obtained by the aforesaid operations. The porosity of the resulting films was found to be about 9 percent and to be low as compared with the film prepared by adding and then eluting polyethylene glycol in Example 1. These were dipped in hot water (100°C) for 5 hr. Observations by infrared absorption spectra and a transmission electron microscope were made about the films before and after the treatment with hot water. It was found from the infrared absorption spectra that the intensity of peaks at 955 cm^{-1} assigned mainly to a Ti-O-Si bond decreased by the treatment with hot water, and the bond was dissociated. It was found from the observation by the transmission electron microscope that the films before undergoing the treatment with hot water were amorphous gel films of TiO_2 - SiO_2 system. On the other hand, in the films dipped in hot water (100°C) for 1 hr, it was found

that anatase titania of 10 to 30 nm was slightly deposited on the surfaces of the films. It was found from the results as described above that the pore produced by the addition and elution of the organic polymer acts to carry out efficiently the reaction of water with the TiO_2 component.

INDUSTRIAL APPLICABILITY

As illustrated above in detail, by the invention of this application, a gel containing a metal oxide is formed from a solution containing at least a hydrolyzable titanium compound and subsequently, the gel containing the metal oxide is allowed to react with water at a temperature of 100°C or below. This enables anatase titania or a composite oxide containing the anatase titania to synthesize at a low temperature. This process makes it possible to form the films of the anatase titania or transparent composite oxide containing the anatase titania on a variety of substrates including polymer materials and living tissue having low heat resistance at very mild conditions of atmospheric pressure and 100°C or below. Furthermore, the powder of the anatase titania or composite oxide containing the anatase titania can be synthesized at very mild conditions of atmospheric pressure and 100°C or below.

Claims

1. A process for producing anatase titania or a composite oxide containing the anatase titania characterized in that a gel containing a metal oxide is formed from a solution containing a hydrolyzable titanium compound, and subsequently this gel is allowed to react with water at a temperature of 100°C or below to produce the anatase titania or the composite oxide containing the anatase titania.

2. A process according to claim 1 wherein the solution containing a hydrolyzable titanium compound contains an organic polymer, and the gel is organic inorganic composite matter containing a metal oxide and the organic polymer.

3. A process according to claim 2 wherein the organic polymer is a water-soluble organic polymer.

4. A process according to any one of claims 1 to 3 wherein the hydrolyzable titanium compound is an alkoxide of titanium.

5. A process according to any one of claims 1 to 4 wherein reaction of the gel with water is carried out with hot water.

6. A process according to claim 5 wherein a functional molecule or a metal ion is dissolved in the hot water, thereby to dope the anatase titania or the composite oxide containing the anatase titania with the functional molecule or metallic

particles.

7. A process according to any one of claims 1 to 6 wherein a gel film is formed on a substrate and then allowed to react with water to produce a film.

8. The anatase titania or the composite oxide containing the anatase titania obtained according to any process of claims 1 to 7.


9. A transparent film of the composite oxide and a substrate having the transparent film of the composite oxide formed thereon as described in claim 8.

09856296-071301

ABSTRACT

As a process for producing novel anatase titania or a composite oxide containing the anatase titania which is useful as a photocatalyst, bactericide, and anti-fungus agent and moreover, can be produced in various forms at a low temperature of 100°C or below, the invention of this application provides a process for producing the anatase titania or the composite oxide containing the anatase titania characterized by forming a gel comprising a metal oxide from a solution of a titanium the gel with water at a temperature of 100°C or below to produce the anatase titania or composite oxide.

Fig. 1



09856296.071301

Fig.2





Fig.3



Change of IR Spectra by Hot Water Treatment of TiO₂-SiO₂
Composite Matter Containing PolyethyleneGlycol

DECLARATION AND POWER OF ATTORNEY FOR U.S. PATENT APPLICATION

() Original () Supplemental () Substitute (X) PCT () DESIGN

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Title: PROCESS FOR PRODUCING ANATASE TITANIA OR COMPOSITE OXIDE CONTAINING ANATASE TITANIA

of which is described and claimed in:

() the attached specification, or

() the specification in application Serial No. _____, filed _____, and with amendments through _____, or

(X) the specification in International Application No. PCT/JP99/00477, filed August 10, 2000, and as amended on _____ (if applicable).

I hereby state that I have reviewed and understand the content of the above-identified specification, including the claims, as amended by any amendment(s) referred to above.

I acknowledge my duty to disclose to the Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim priority benefits under Title 35, United States Code, §119 (and §172 if this application is for a Design) of any application(s) for patent or inventor's certificate listed below and have also identified below any application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NO.	DATE OF FILING	PRIORITY CLAIMED

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NO.	U.S. FILING DATE	STATUS: PATENTED, PENDING, ABANDONED

And I hereby appoint Michael R. Davis, Reg. No. 25,134; Matthew M. Jacob, Reg. No. 25,154; Warren M. Cheek, Jr., Reg. No. 33,367; Nils Pedersen, Reg. No. 33,145; Charles R. Watts, Reg. No. 33,142; and Michael S. Huppert, Reg. No. 40,268, who together constitute the firm of WENDEROTH, LIND & PONACK, L.L.P., as well as any other attorneys and agents associated with Customer No. 000513, to prosecute this application and to transact all business in the U.S. Patent and Trademark Office connected therewith.

I hereby authorize the U.S. attorneys and agents named herein to accept and follow instructions from NISHIZAWA & ASSOCIATES as to any action to be taken in the U.S. Patent and Trademark Office regarding this application without direct communication between the U.S. attorneys and myself. In the event of a change in the persons from whom instructions may be taken, the U.S. attorneys named herein will be so notified by me.

Direct Correspondence to Customer No:



000513

PATENT TRADEMARK OFFICE

Direct Telephone Calls to:

WENDEROTH, LIND & PONACK, L.L.P.
2033 "K" Street, N.W., Suite 800
Washington, D.C. 20006-1021

Phone (202) 721-8200
Fax (202) 721-8250

Full Name of First Inventor	FAMILY NAME MINAMI	FIRST GIVEN NAME Tsutomu	SECOND GIVEN NAME
Residence & Citizenship	CITY Osaka	STATE OR COUNTRY Japan	COUNTRY OF CITIZENSHIP Japan
Post Office Address	ADDRESS 2-7-1, Onodai, Osakasayama-shi, Osaka, JAPAN	CITY	STATE OR COUNTRY ZIP CODE
Full Name of Second Inventor	FAMILY NAME TATSUMISAGO	FIRST GIVEN NAME Masahiro	SECOND GIVEN NAME
Residence & Citizenship	CITY Osaka	STATE OR COUNTRY Japan	COUNTRY OF CITIZENSHIP Japan
Post Office Address	ADDRESS 128-16, Omino, Sakai-shi, Osaka, JAPAN	CITY	STATE OR COUNTRY ZIP CODE
Full Name of Third Inventor	FAMILY NAME MATSUDA	FIRST GIVEN NAME Atsunori	SECOND GIVEN NAME
Residence & Citizenship	CITY Osaka	STATE OR COUNTRY Japan	COUNTRY OF CITIZENSHIP Japan
Post Office Address	ADDRESS 12-5, Midorigaoka naka-machi, Kawachinagano-shi, Osaka, JAPAN	CITY	STATE OR COUNTRY ZIP CODE
Full Name of Fourth Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE
Full Name of Fifth Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE
Full Name of Sixth Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE

I further declare that all statements made herein of my own knowledge are true, and that all statements on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

1st Inventor Tsutomu Minami Date 27th June 2001
Tsutomu MINAMI
2nd Inventor Masahiro Tatumisago Date 27th June 2001
Masahiro TATSUMISAGO
3rd Inventor Atsunori Matsuda Date 27th June 2001
Atsunori MATSUDA
4th Inventor _____ Date _____
5th Inventor _____ Date _____
6th Inventor _____ Date _____

The above application may be more particularly identified as follows:

U.S. Application Serial No. _____ Filing Date May 21, 2001

Applicant Reference Number 99-F-001PCT-US Atty Docket No. 2001-0631A

Title of Invention PROCESS FOR PRODUCING ANATASE TITANIA OR COMPOSITE OXIDE CONTAINING ANATASE TITANIA